

Yo-Yo Intermitten Recovery Test: A study of football players' VO₂max physical condition

Didi Suryadi^{1abce*}, Novi Yanti^{2cde}, Teddy Tjahyanto^{3abc},
Ramli⁴, & Louis Rianto^{3bcd}

Universitas Negeri Yogyakarta, Indonesia¹
Universitas Tanjungpura, Indonesia²
Universitas Tarumanagara, Indonesia³
Universitas Negeri Makasar, Indonesia⁴

Received 04 March 2023; Accepted 12 May 2023; Published 01 June 2023
Ed 2023; 8(2): 141-151

ABSTRACT

The Yo-Yo Intermitten Recovery Test is frequently used to evaluate VO₂max and is crucial for determining an athlete's physical condition. However, its effectiveness in accurately assessing the physical condition of football players remains limited. This study aims to analyze the level of the physical condition of football players' VO₂max which will be used as evaluation material for designing training programs so that the pattern of coaching becomes focused and produces achievements. This research used a quantitative approach to the survey method. The subjects of this study were Pusaka FC football club athletes, the sampling technique used total sampling so that all athletes were a sample of 23 players. The test instrument used the Yo-Yo Intermitten Recovery Test level 2. Data analysis used descriptive percentages, with the assistance of the Microsoft Excel 2019 software application. The results of the study show that the VO₂max level value in soccer athletes is 13.04% of athletes in the poor category and 34.78% in the good category. Below average, 47.82% shows the average category, and there is only 4.35%, which shows the value of the good category. Based on the results of the VO₂max ability test, the average classification of Club Pusaka FC players is still relatively low. However, it is necessary to know that the limitations of this study lie in the condition of the players' nutritional intake which has not been controlled and their age which must also be taken into consideration by researchers. Furthermore, it can find information on the effect of athlete nutrition on endurance ability.

Keywords: Physical condition; vo₂max; football; yo-yo intermittent recovery

 [https://doi.org/10.25299/sportarea.2023.vol8\(2\).12392](https://doi.org/10.25299/sportarea.2023.vol8(2).12392)

OPEN ACCESS 

Copyright © 2023 Didi Suryadi, Novi Yanti, Teddy Tjahyanto, Ramli, Louis Rianto

Corresponding Author: Didi Suryadi, Department of Sport Science, Faculty of Sport Science and Health, Universitas Negeri Yogyakarta, Yogyakarta, Indonesia
Email: didisurya1902@gmail.com

How to Cite: Suryadi, D., Yanti, N., Tjahyanto, T., Ramli, & Rianto, L. (2023). Yo-Yo Intermitten Recovery Test: A study of football players' VO₂max physical condition. *Journal Sport Area*, 8(2), 141-150.
[https://doi.org/10.25299/sportarea.2023.vol8\(2\).12392](https://doi.org/10.25299/sportarea.2023.vol8(2).12392)

Authors' Contribution: a – Study Design; b – Data Collections; c – Statistical Analysis; d – Manuscript Preparation; e – Funds Collection

INTRODUCTION

Physical condition is a very important part of a sport because aspects of physical condition greatly affect game performance (Sandika & Mahfud, 2021). Physical condition plays a very important role in creating an effective playing pattern (Syafi'i & Setiawan, 2019), it is also a requirement that must be possessed by a

football player in order to improve and develop optimal sports achievements (Ridwan, 2020). In addition, good physical abilities make a positive contribution to fitness (Baek et al., 2020; Rubiyatno et al., 2023; Saputra et al., 2023; Suryadi et al., 2021; Suryadi, 2022a; Suryadi et al., 2023b; Suryadi & Rubiyatno, 2022), and one of them is needed in football games (Suryadi, 2022b). Football is a sport that is enjoyed by people from all walks of life and is one of the most popular games (Suryadi et al., 2023a). Furthermore, it is a sport that necessitates complicated energy processing through the use of two energy systems, namely aerobic and anaerobic (Jarkasih & Fardi, 2020), this statement is reinforced by Guntoro et al. (2020) that the physical abilities that must be possessed in playing football are agility, power, coordination, speed, flexibility, strength and endurance where endurance is essential in a game.

Endurance is one of several physical elements that need to be trained and developed as a factor that greatly supports the technical and tactical abilities of playing football (Warni et al., 2017). The ability to maintain physical activity for long periods of time is often called endurance (Tudor & Michael, 2015). In addition, according to Syahda et al. (2016), endurance has a relationship to technical skills in playing football so it plays a very important role in playing football (Allsabab, 2021), as it is the case with VO₂max endurance (Supriatna et al., 2023). Research studies by Satria (2019) state that the physical conditions that football players need to have include aerobic endurance VO₂max because it is to maintain the body ability to carry out aerobic activity for a long time (Nala, 2011). Furthermore playing football also requires the Adenosine energy system Triphosphate-Phospho Creatin (ATP-PC) and the aerobic energy system (Nugroho & Kusuma, 2022). An example of a football player use an aerobic energy system is when a football player is jogging (Purba & Setiowati, 2022).

Besides, football is also a game that requires a lot of energy to boost enthusiasm in a team (Syukur & Soniawan, 2015). Therefore, football players are required to have good physical and aerobic conditions so that the game can run well (Hardinata et al., 2021). Thus, the ability of VO₂max becomes the greatest aerobic exercise (Gumantan & Fahrizqi, 2020) where this ability is also often said to be the soul of its appearance to improve good physical work (Debbian & Rismayanthi, 2016). Further, good quality endurance is the main support for developing skills (Nugroho & Kusuma, 2022), because the heart and lungs supply oxygen throughout the body for a long time (Debbian & Rismayanthi, 2016). Next, VO₂max is the basic foundation for building physical fitness which plays a very important role for every sport (Nesra Barus, 2020), which is very important to have before practicing anaerobic endurance (Pamungkas & Hardika, 2023).

The higher the level of VO₂max the better the aerobic endurance possessed by athletes (Kharisma & Mubarak, 2020). In addition, VO₂max affects the ability of the heart and lungs to supply oxygen throughout the body for a long time therefore VO₂max is pivotal for everyone (Indrayana & Yuliawan, 2019). Thus, VO₂max becomes one of the main physical condition elements that must be possessed by football athletes, due to the type of football game that is played for a long time, namely 2 x 45 minutes (Wahyudi et al., 2020). Apart from that, if football players are almost the same ability, then the victory can be determined by the physical and mental condition of a player (Musrifin & Bausad, 2020). VO₂max is also one of the barometers of fitness and body composition consisting of body mass index and body fat percentage, which are ideal benchmarks for whether or not a person's body is (Nirwandi, 2017).

Although the previous research has shown the results of VO₂max analysis documentation (Supriatna et al., 2023; Yanti et al., 2022) and specifically presented the VO₂max of football athletes (Allsabab, 2021; Nirwandi, 2017; Sinurat, 2019), it further discusses the differences in VO₂max between athletes and non-athletes (Kostić, 2017), as well as field tests to predict VO₂max in hockey players (Morton & Klein, 2019). However, this study offers an offer from a different perspective from previous research, namely the instrument used to measure the athlete's VO₂max using the Yo-Yo Intermittent Recovery Test level 2 (YIRT2) where the Yo-Yo test is a valid test used to measure VO₂max in football athletes (Hardinata et al., 2021). In addition, the level 2 Yo-Yo test has been indicated as an anaerobic-based field test (Castagna et al., 2009). Furthermore, this research was conducted at different locations which to our knowledges have not found reports discussing the VO₂max analysis of football athletes in West Kalimantan using the Yo-Yo test instrument. Therefore, this study aims to analyze the VO₂max levels of football athletes using the Yo-Yo test. The purpose of this study is reinforced by Arianto and Setyawan (2019), that the importance of aerobic endurance for football players

is to support their ability to play and to achieve an achievement. In addition, aerobic endurance in football is considered an indicator of superior performance (Casamichana et al., 2015; Lacombe et al., 2018). Therefore, this research is necessary as an evaluation of the success of the coaching patterns and training processes that have been implemented (Vavilov et al., 2020).

METHOD

The research method was a quantitative approach with a survey method, namely tests and measurements were carried out on athletes to analyze VO₂max. The subjects in this study were the male athletes from Club Pusaka FC using total sampling which means that all players on the team were sampled so that a total of 23 athletes were obtained. The instrument used in this study was the Yo-Yo Intermittent Recovery Test level 2 as a valid tool to measure the level of VO₂max of football players (Supriatna et al., 2023). The implementation of the Yo-Yo Intermittent Recovery Test level 2 has a 20 m running track, the running speed will increase according to the level, with active recovery/rest 10 seconds between tracks spaced 5 m. Before the test, the athlete warmed up first and stretching to avoid injury during the test. Furthermore, the test is declared complete if the player has failed to reach the finish line twice or the player is no longer able to feel like completing the moderate test at a predetermined speed (Schmitz et al., 2018).




Figure 1. Yo-Yo Intermittent Recovery Test Instrument

Data analysis in this research uses descriptive percentages, to determine the VO₂max ability level of football players. Then, data calculations were assisted using Microsoft Excel 2019 software. The fitness norm category was used to find out an explanation of the VO₂Max value achieved by the players. The following are categories of VO₂max assessment norms.

Table 1. VO₂max Assessment Norms through the Yo-Yo Test for Men

Ratings	Levels	ValueRange
Elite	>20.1	>56.6
Excellent	18.7-20.1	53.2-56.6
Good	17.3-18.6	49.2-52.9
Average	15.7-17.2	45.1-48.8
Below average	14.2-15.6	40.8-44.8
Poor	<14.2	<40.8

RESULTS AND DISCUSSION

Based on the results of the research data, it is known that Club Pusaka FC football athletes who carried out the Yo-Yo test totaled 23 athletes, and the results of the study show that there are still many who have below-average VO₂max abilities. For clarification, the results are described in Table 2 below.

Table 2. Data on the Results of the Physical Condition Test for VO₂max Ability through the Level 2 Yo-Yo Test

Age	VO ₂ max Results	Category
22	45.1	Average
20	43.8	Below average
20	43.1	Below average
18	40.4	Poor
20	45.8	Average

Age	VO2max Results	Category
20	48.2	Average
21	46.5	Average
22	42.1	Below average
19	46.1	Average
20	46.1	Average
18	40.8	Below average
17	44.1	Below average
20	44.5	Below average
20	40.1	Poor
21	45.8	Average
22	39.4	Poor
21	49.2	good
20	45.8	Average
20	46.1	Average
20	46.1	Average
19	43.5	Below average
22	45.8	Average
21	42.1	Below average

Table 3. VO2max Levels in Male Football Athletes

Ratings	Frequency	Percentage %
Elite	0	0%
Excellent	0	0%
Good	1	4.35%
Average	11	47.82%
Below average	8	34.78%
Poor	3	13.05%

Based on the results data that has been described in tables 2 and 3, it shows the value of the VO2max level in football athletes. The results explain that the athletes' VO2max ability is 13.04% in the poor category, 34.78% in the below average category, and 47.82% indicates the average category. Furthermore, there is only 4.35% which shows the value of the good category. Based on these results it proves that the average VO2max ability in football athletes is still relatively low.




Figure 2. Physical Condition (VO2max) of Pusaka FC Club Ball Athletes

This study aims to analyze the VO2max ability of football athletes using the Yo-Yo test. The results showed that the VO2max ability of Club Pusaka FC football athletes was still relatively low. This result can also be

seen from the percentage level of VO₂max ability in athletes. The previous relevant research has shown that national players have better VO₂max than division 1 football players and 13% higher than division 2 players (Haugen et al., 2014). Based on these results, the VO₂max in athletes needs to be increased again, considering that the range of VO₂max values that football athletes must have is 50-75 ml/kg/min (Modric et al., 2020). In line with the statement Septiany et al. (2019) that a football players with a high VO₂max value can increase stamina or endurance when playing football. The farther the distance that can be covered, the faster recovery time and displays the ability to play well when under high pressure from opponents (Bahtra et al., 2020; Pratama & Nawawi, 2020). Subsequent studies have found that football players who are in the drum position have a higher VO₂max than goalkeepers by 8% (Haugen et al., 2014).

A study by Hariyanti et al. (2020) stated that endurance is a component that is very much needed for an athlete. In addition, endurance also affects the quality of a player when carrying out a series of movements in a football game (Hardinata et al., 2021), and is an important factor in fighting fatigue during play. Therefore, for an athlete who wants to increase speed, strength, flexibility, and vital capacity, endurance is the main factor in developing these components of physical condition (Indrayana & Yuliawan, 2019). Furthermore, it is important for athletes to train systematically, planned, and continuously in order to achieve peak performance (Indrayana & Yuliawan, 2019).

Factors that affect endurance can be heredity, age, gender, aerobic capacity, anaerobic capacity, and physical activity (Prananda & Yanti, 2021). Another study conducted on young football athletes at the Real Madrid Football School and Baturetno Football School showed that athletes had poor knowledge about the nutritional and fluid requirements for young football athletes at the Real Madrid Football School and Baturetno Football School (Puspaningtyas et al., 2019). Apart from that, the age factor of 31-35 years until physiologically advanced, there was a decrease in body functions such as the cardiovascular and respiratory systems (Senefeld & Hunter, 2019) which are influenced by genetics, the cardiovascular system, exercise patterns, lifestyle, and body composition. Furthermore, professional athletes who experience Anterior Cruciate Ligament (ACL) injuries turn out to have a significant effect on decreasing aerobic fitness (De Almeida et al., 2018).

Several exercises can be done to improve physical fitness while in the case of elementary-aged children it can have a positive influence on gross motor (Samodra et al., 2023), one of which is by doing physical activity through sports (Ramirez-Campillo et al., 2022), and food intake also needs to be considered (Kuswari et al., 2019). A study conducted by Putra and Siahaan (2022), found that in order to improve VO₂max abilities, it is necessary to carry out systematically planned exercises. Using the Nike Training Club application has a significant effect on the endurance of futsal extracurricular players (Faozi & Rahmawati, 2019). According to Putro et al. (2018), he also stated that the Android application was designed as a tool for cardiovascular endurance fitness programs and there are 3 main features, namely providing education about fitness, assisting in VO₂max testing, and assisting in making cardiovascular endurance fitness training programs automatically. In addition, the fartlek training method is an excellent form of training to increase endurance in almost all sports (Pratama et al., 2022; Pribadi et al., 2022). In order for VO₂max to be maintained, endurance training must be carried out continuously so that significant fatigue does not occur (Candra, 2020). Therefore, a study by Hardinata et al. (2021) shows that triangle runs are proven to increase VO₂max in football games.

CONCLUSION

The results of the research and discussion have a strong theoretical backing to be used as a reference source in the study of the VO₂max physical condition of football players and connected sports. The basis for reference to previous research and the results of the packaged review of articles are included in the basis and discussion of the results and discussion. The results of this study have provided information that the VO₂max ability of Club Pusaka FC football athletes is still relatively low where there are still many athletes who are in the below average and poor categories, then some athletes are in the average category. The results of this study certainly provide a new reference regarding the physical condition of VO₂max in football games. These results can also be used as a reference for providing advanced training programs to improve VO₂max abilities, especially in football athletes. However, it is necessary to know that the limitations of this study lie in the condition of the

players' nutritional intake which has not been controlled and their age which must also be taken into consideration by researchers. Recommendations for further research can test and compare the effectiveness of weight training and triangle run exercises on increasing VO₂max abilities in football athletes.

ACKNOWLEDGEMENTS

The author would like to acknowledge the managers, instructors, personnel, and players of Pusaka FC for providing the opportunity and assisting with this research.

CONFLICT OF INTEREST

There is no conflict of interest.

REFERENCES

- Allsabab, M. A. H. (2021). Survei Kapasitas Daya Tahan Aerobik (VO₂max) pada Pemain Sepakbola Persik Usia 20 Tahun. *Jurnal Kejaora (Kesehatan Jasmani dan Olah Raga)*, 6(1), 174-180. <https://doi.org/10.36526/kejaora.v6i1.1260>
- Arianto, A. T., & Setyawan, C. (2019). Efektivitas Small Sided Games dan Interval Training terhadap Peningkatan Daya Tahan Aerobik pada Pemain Sepakbola U-17. *Jurnal Keolahragaan*, 7(2), 182-191. <https://doi.org/10.21831/jk.v7i2.27039>
- Baek, K. W., Lee, M. C., Jeon, T. B., Yoo, J. Il, Park, J. S., Moon, H. Y., & Kim, J. S. (2020). Effects of Exercise on Physical Fitness and Strength According to The Frailty Level of Female Elderly with Hypertension. *Exercise Science*, 29(4), 368-376. <https://doi.org/10.15857/ksep.2020.29.4.368>
- Bahtra, R., Asmawi, M., Widiastuti, & Dlis, F. (2020). Improved VO₂max: The Effectiveness of Basic Soccer Training at a Young Age. *International Journal of Human Movement and Sports Sciences*, 8(3), 93-102. <https://doi.org/10.13189/saj.2020.080304>
- Candra, O. (2020). Tingkat Kemampuan VO₂max pada Atlet Bola Basket Puteri POMNAS Riau. *Journal Sport Area*, 5(2), 106-115. [https://doi.org/10.25299/sportarea.vol5\(2\).3761](https://doi.org/10.25299/sportarea.vol5(2).3761)
- Casamichana, D., Román-Quintana, J. S., Castellano, J., & Calleja-González, J. (2015). Influence of the Type of Marking and the Number of Players on Physiological and Physical Demands during Sided Games in Soccer. *Journal of Human Kinetics*, 37(1), 259-268. <https://doi.org/10.1515/hukin-2015-0081>
- Castagna, C., Impellizzeri, F., Cecchini, E., Rampinini, E., & Alvarez, J. C. B. (2009). Effects of Intermittent-Endurance Fitness on Match Performance in Young Male Soccer Players. *Journal of Strength and Conditioning Research*, 23(7), 1954-1959. <https://doi.org/10.1519/jsc.0b013e3181b7f743>
- De Almeida, A. M., Silva, P. R. S., Pedrinelli, A., & Hernandez, A. J. (2018). Aerobic Fitness In Professional Soccer Players after Anterior Cruciate Ligament Reconstruction. *PLoS ONE*, 13(3), e0194432. <https://doi.org/10.1371/journal.pone.0194432>
- Debbian, S. R. A., & Rismayanthi, C. (2016). Profil Tingkat Volume Oksigen Maskimal (VO₂max) dan Kadar Hemoglobin (Hb) pada Atlet Yongmoodo Akademi Militer Magelang. *Jorpres (Jurnal Olahraga Prestasi)*, 12(3), 19-33. <https://doi.org/10.21831/jorpres.v12i2.11874>
- Faozi, F., & Rahmawati, D. (2019). Pengaruh Penggunaan Aplikasi Nike Training Club terhadap Peningkatan VO₂max pada Pemain Ekstrakurikuler Futsal Putri MAN 1 Kabupaten Sukabumi. *Biormatika : Jurnal Ilmiah Fakultas Keguruan dan Ilmu Pendidikan*, 5(2), 181-187. <https://doi.org/10.35569/biormatika.v5i02.519>
- Gumantan, A., & Fahrizqi, E. B. (2020). Pengaruh Latihan Fartlek dan Cross Country Terhadap VO₂max Atlet Futsal Universitas Teknokrat Indonesia. *SPORT-Mu: Jurnal Pendidikan Olahraga*, 1(1), 1-9. <https://doi.org/10.32528/sport-mu.v1i01.3059>

- Guntoro, T. S., Muhammad, J., & Qomarrullah, R. (2020). Faktor Kemampuan Fisik dan Psikologis Penunjang Keterampilan Atlet Elit Sepakbola Provinsi Papua. *Jurnal SPORTIF: Jurnal Penelitian Pembelajaran*, 6(2), 390-406. https://doi.org/10.29407/js_unpgri.v6i2.13768
- Hardinata, R., Gustian, U., & Perdana, R. P. (2021). The Effectiveness of the Triangle Run Exercise Method in Improving Aerobic Resistance Soccer Player. *JUARA: Jurnal Olahraga*, 6(1), 115-124. <https://doi.org/10.33222/juara.v6i1.1180>
- Hariyanti, M. A., Rahayu, N. I., & Pitriani, P. (2020). Hubungan Kadar Hemoglobin dan VO₂max pada Atlet Softball Putra. *Jurnal Terapan Ilmu Keolahragaan*, 5(1), 16-21. <https://doi.org/10.17509/jtikor.v5i1.24191>
- Haugen, T. A., Tønnessen, E., Hem, E., Leirstein, S., & Seiler, S. (2014). VO₂max Characteristics of Elite Female Soccer Players, 1989-2007. *International Journal of Sports Physiology and Performance*, 9(3), 515-521. <https://doi.org/10.1123/IJSP.2012-0150>
- Indrayana, B., & Yuliawan, E. (2019). Penyuluhan Pentingnya Peningkatan VO₂max Guna meningkatkan Kondisi Fisik Pemain Sepakbola Fortuna FC Kecamatan Rantau Rasau. *Jurnal Ilmiah Sport Coaching and Education*, 3(1), 41-50. <https://doi.org/10.21009/jsce.03105>
- Jarkasih, I., & Fardi, A. (2020). Pengaruh Pemberian Gula Aren dalam Latihan Daya Tahan terhadap Kapasitas VO₂max SSB Tan Malaka. *Jurnal Patriot*, 2(1), 301-314. <https://doi.org/10.24036/patriot.v2i1.548>
- Kharisma, Y., & Mubarak, M. Z. (2020). Analisis Tingkat Daya Tahan Aerobik pada Atlet Futsal Putri AFKAB Indramayu. *Physical Activity Journal*, 1(2), 125-132. <https://doi.org/10.20884/1.paju.2020.1.2.2349>
- Kostić, V. (2017). Differences in Aerobic Capacity and Spirometric Parameters Between Athletes and Nonathletes. *Porto Biomedical Journal*, 2(5), 184. <https://doi.org/10.1016/j.pbj.2017.07.022>
- Kuswari, M., Handayani, F., Gifari, N., & Nuzrina, R. (2019). Relationship of Energy Intake, Macro and Micro Nutrients to Physical Fitness of Athletes of Dyva Taekwondo Centre Cibinong. *JUARA: Jurnal Olahraga*, 5(1), 19-30. <https://doi.org/10.33222/juara.v5i1.572>
- Lacome, M., Simpson, B. M., Cholley, Y., Lambert, P., & Buchheit, M. (2018). Small-Sided Games in Elite Soccer: Does One Size Fit All?. *International Journal of Sports Physiology and Performance*, 13(3), 568-576. <https://doi.org/10.1123/ijsp.2017-0214>
- Modric, T., Versic, S., & Sekulic, D. (2020). Aerobic Fitness and Game Performance Indicators in Professional Football Players; Playing Position Specifics and Associations. *Heliyon*, 6(11), e05427. <https://doi.org/10.1016/j.heliyon.2020.e05427>
- Morton, J., & Klein, I. (2019). A Fitness Field Test to Predict VO₂max in Female Collegiate Field Hockey Players. *Medicine & Science in Sports & Exercise*, 51(6S), 950. <https://doi.org/10.1249/01.mss.0000563348.00654.2f>
- Musrifin, A. Y., & Bausad, A. A. (2020). Analisis Unsur Kondisi Fisik Pemain Sepakbola Mataram Soccer Akademi NTB. *Jurnal Ilmiah Mandala Education*, 6(1), 113-119. <https://doi.org/10.36312/jime.v6i1.1116>
- Nala. (2011). *Prinsip Pelatihan Fisik Olahraga*. UNUD.
- Nesra Barus, J. B. (2020). Tingkat Daya Tahan Aerobik (VO₂max) Siswa Ekstrakurikuler Gulat di SMA Negeri 1 Barusjahe Kabupaten Karo. *KINESTETIK*, 4(1), 108-116. <https://doi.org/10.33369/jk.v4i1.10649>
- Nirwandi, N. (2017). Tinjauan Tingkat VO₂max Pemain Sepakbola Sekolah Sepakbola Bima Junior Bukittinggi. *Jurnal Penjakora*, 4(2), 18-27. <https://doi.org/10.23887/penjakora.v4i2.13362>

- Nugroho, M. A., & Kusuma, D. A. (2022). Pengaruh Latihan High Intensity Interval Training & Small Sided Games terhadap Daya Tahan Aerobik Pemain Futsal. *Jurnal Prestasi Olahraga*, 5(5), 81-88. <https://doi.org/10.5281/zenodo.5824947>
- Pamungkas, W. C. A., & Hardika, N. (2023). Pengaruh Latihan Circuit Training terhadap Daya Tahan Aerobik pada Kelas Ekstrakurikuler Sepakbola SMA Negeri 1 Kabupaten Ketapang. *Journal Sport Academy*, 1(2), 34-44. <https://doi.org/10.31571/jsa.v1i2.29>
- Prananda, Y., & Yanti, N. (2021). Pengaruh Variasi Latihan Endurance Training untuk Meningkatkan VO2max Pemain Sepakbola Klub SANHERIB FC. *Jurnal Pendidikan dan Pembelajaran Khatulistiwa (JPPK)*, 10(9), 1-8. <https://doi.org/10.26418/jppk.v10i9.49367>
- Pratama, T., & Nawawi, U. (2020). Tinjauan Tingkat Kondisi Fisik Atlet Sepakbola Porma FC Sijunjung. *Jurnal Patriot*, 2(2), 549-564. <https://doi.org/10.24036/patriot.v2i1.567>
- Pratama, R., Haetami, M., & Bafadal, M. F. (2022). Pengaruh Metode Latihan Fartlek terhadap Peningkatan Daya Tahan Aerobic Peserta Ekstrakurikuler Futsal Putra. *Jurnal Pendidikan dan Pembelajaran Khatulistiwa (JPPK)*, 11(3), 1-9. <https://doi.org/10.26418/jppk.v11i3.53425>
- Pribadi, A., Widiyanto, & Alexander, B. (2022). Pengaruh Fartlek Training pada Peningkatan Daya Tahan Aerobik dan Anaerobik Atlet Hoki Ruangan Kota Jogja (The Effect of Fartlek Training on Increasing Aerobic and Anaerobic Endurance in Indoor Hockey Athletes in Jogja City). *Indonesian Journal of Sport Science and Technology (IJST)*, 1(1), 1-7. <https://doi.org/10.31316/ijst.v1i1.4179>
- Purba, D. P., & Setiowati, A. (2022). Pengaruh Pemberian Air Gula Merah terhadap Daya Tahan Aerobik pada Pemain Sepak Bola di Semarang. *Journal of Sport Science and Fitness*, 8(2), 104-111. <https://doi.org/10.15294/jssf.v8i2.60565>
- Puspaningtyas, D. E., Sari, S. P., Afriani, Y., & Mukarromah, N. (2019). Edukasi Gizi Efektif Meningkatkan Pengetahuan Atlet Mengenai Gizi Seimbang dan Pemenuhan Kebutuhan Cairan. *Jurnal Pengabdian Dharma Bakti*, 2(2), 34-38. <https://doi.org/10.35842/jpdb.v2i2.87>
- Putra, A. D., & Siahaan, D. (2022). Pengaruh Latihan Small Sided Games 2 v 2+ 4 Terhadap Peningkatan VO2max pada Siswa SSB Putra WMC Serdang Bedagai. *SPRINTER: Jurnal Ilmu Olahraga*, 3(2), 63-67. <https://doi.org/10.46838/spr.v3i2.159>
- Putro, A. A., Suherman, A., & Sultoni, K. (2018). Aplikasi Program Kebugaran Daya Tahan Kardiovaskular Berbasis Android. *Jurnal Terapan Ilmu Keolahragaan*, 3(1), 1-11. <https://doi.org/10.17509/jtikor.v3i1.11276>
- Ramirez-Campillo, R., García-Hermoso, A., Moran, J., Chaabene, H., Negra, Y., & Scanlan, A. T. (2022). The Effects of Plyometric Jump Training on Physical Fitness Attributes in Basketball Players: A Meta-Analysis. *Journal of Sport and Health Science*, 11(6), 656-670. <https://doi.org/10.1016/j.jshs.2020.12.005>
- Ridwan, M. (2020). Kondisi Fisik Pemain Sekolah Sepakbola (SSB) Kota Padang. *Jurnal Performa Olahraga*, 5(1), 65-72. <https://doi.org/10.24036/jpo142019>
- Rubiyatno, Perdana, R. P., Fallo, I. S., Arifin, Z., Nusri, A., Suryadi, D., Suganda, M. A., & Fauziah, E. (2023). Analysis of Differences In Physical Fitness Levels of Extracurricular Futsal Students: Survey Studies on Urban and Rural Environments. *Pedagogy of Physical Culture and Sports*, 27(3), 208-214. <https://doi.org/10.15561/26649837.2023.0304>
- Samodra, Y. T. J., Suryadi, D., Wati, I. D. P., Supriatna, E., Santika, I. G. P. N. A., Suganda, M. A., & Dewi, P. C. P. (2023). Analysis of Gross Motoric Analysis of Elementary School Students: A Comparative Study of Students in Hill and Coastal Areas. *Pedagogy of Physical Culture and Sports*, 27(2), 139-145. <https://doi.org/10.15561/26649837.2023.0206>

- Sandika, A., & Mahfud, M. (2021). Penerapan Model Latihan Daya Tahan Kardiovaskuler with The Ball Permainan Sepakbola SSB Bu Pratama. *Journal of Physical Education*, 2(1), 32-36. <https://doi.org/10.33365/joupe.v2i1.859>
- Saputra, E., Putra, M. E., Rianto, L., Tjahyanto, T., Widiyati, R., & Aziz, I. (2023). Profil Kebugaran Jasmani pada Mahasiswa yang mengikuti Latihan Beban: Yo-Yo Intermittent Test Level 1. *Tanjungpura Journal of Coaching Research*, 1(1), 18-23. <https://doi.org/10.26418/tajor.v1i1.63856>
- Satria, M. H. (2019). Pengaruh Latihan Circuit Training terhadap Peningkatan Daya Tahan Aerobik Pemain Sepakbola Universitas Bina Darma. *Jurnal Ilmiah Bina Edukasi*, 11(1), 36-48. <https://doi.org/10.33557/jedukasi.v11i01.204>
- Schmitz, B., Pfeifer, C., Kreitz, K., Borowski, M., Faldum, A., & Brand, S. M. (2018). The Yo-Yo Intermittent Tests: A Systematic Review and Structured Compendium of Test Results. *Frontiers in Physiology*, 9:870. <https://doi.org/10.3389/fphys.2018.00870>
- Senefeld, J. W., & Hunter, S. K. (2019). Are Masters Athletic Performances Predictive of Human Aging in Men and Women?. *Movement and Sports Sciences-Science et Motricite*, 104, 5-12. <https://doi.org/10.1051/sm/2019018>
- Septiany, M. C., Basyar, E., & Hardian, H. (2019). Pengaruh Latihan Naik Turun Bangku Harvard terhadap Nilai VO₂max pada Atlet Sepakbola. *Jurnal Kedokteran Diponegoro*, 8(1), 5-12. <https://doi.org/10.14710/dmj.v8i1.23336>
- Sinurat, R. (2019). The Profile of The Maximum Oxygen Volume Level (VO₂max) of Football Athlete of Pasir Pengaraian University. *Jurnal SPORTIF: Jurnal Penelitian Pembelajaran*, 5(1), 80-88. https://doi.org/10.29407/js_unpgri.v5i1.12801
- Supriatna, E., Suryadi, D., Haetam, M., & Yosika, G. F. (2023). Analysis of The Endurance Profile (VO₂max) of Women's Volleyball Athletes: Yo-Yo Intermittent Test Level 1. *Indonesian Journal of Physical Education and Sport Science (IJPESS)*, 3(1), 12-19. <https://doi.org/10.52188/ijpess.v3i1.369>
- Suryadi, D., Samodra, Y. T. J., & Purnomo, E. (2021). Efektivitas Latihan Weight Training terhadap Kebugaran Jasmani. *Journal RESPECS*, 3(2), 9-19. <https://doi.org/10.31949/respecs.v3i2.1029>
- Suryadi, D., & Rubiyatno. (2022). Kebugaran Jasmani pada Siswa yang Mengikuti Ekstrakurikuler Futsal. *Jurnal Ilmu Keolahragaan*, 5(1), 1-8. <https://doi.org/10.26418/jilo.v5i1.51718>
- Suryadi, D. (2022a). Analisis Kebugaran Jasmani Siswa: Studi Komparatif antara Ekstrakurikuler Bolabasket dan Futsal. *Edu Sportivo: Indonesian Journal of Physical Education*, 3(2), 100-110. [https://doi.org/10.25299/es:ijope.2022.vol3\(2\).9280](https://doi.org/10.25299/es:ijope.2022.vol3(2).9280)
- Suryadi, D. (2022b). Peningkatan Kemampuan Shooting Permainan Sepak Bola melalui Latihan Kekuatan Otot Tungkai. *Jurnal Pendidikan Kesehatan Rekreasi*, 8(2), 237-246. <https://doi.org/10.5281/zenodo.6684431>
- Suryadi, D., Okilanda, A., Yanti, N., Suganda, M. A., Mashud, Santika, I. G. P. N. A., Vanagosi, K. D., & Hardinata, R. (2023a). Combination of Varied Agility Training with Small Sided Games: How It Influences Football Dribbling Skills?. *Pedagogy of Physical Culture and Sports*, 27(3), 190-197. <https://doi.org/10.15561/26649837.2023.0302>
- Suryadi, D., Suganda, M. A., Sacko, M., Samodra, Y. T. J., Rubiyatno, R., Supriatna, E., Wati, I. D. P., & Okilanda, A. (2023b). Comparative Analysis of Soccer and Futsal Extracurriculars: A Survey Study of Physical Fitness Profiles. *Physical Education and Sports: Studies and Research*, 2(1), 59-71. <https://doi.org/10.56003/pessr.v2i1.182>
- Syafi'i, I., & Setiawan, A. (2019). Koordinasi Mata dan Kaki pada Long Passing Sepakbola. *Physical Activity Journal*, 1(1), 1-7. <https://doi.org/10.20884/1.paju.2019.1.1.1993>

- Syahda, I. A., Damayanti, I., & Imanudin, I. (2016). Hubungan Kapasitas Vital Paru-Paru dengan Daya Tahan Cardiorespiratory pada Cabang Olahraga Sepakbola. *Jurnal Terapan Ilmu Keolahragaan*, 1(1), 24-28. <https://doi.org/10.17509/jtikor.v1i1.1549>
- Syukur, A., & Soniawan, V. (2015). The Effects of Training Methods and Achievement Motivation Toward of Football Passing Skills. *IPES-Journal Of Indonesian Physical Education and Sport*, 1(2), 73-84. <https://doi.org/10.21009/jies.012.07>
- Tudor, B. O., & Michael, C. (2015). *Conditioning Young Athletes*. Human Kinetics.
- Vavilov, A. L., Anfilatova, O. V., Laptev, A. V., & Sirakovskaya, Y. V. (2020). Identification of Physical Fitness Tests for Basketball Players. *Human Sport Medicine*, 20(S1), 46-54. <https://doi.org/10.14529/hsm20s106>
- Wahyudi, A. A., Andiana, O., & Kinanti, R. G. (2020). Survei Kapasitas Daya Tahan Aerobik (VO2max) menggunakan Tes Balke pada Mahasiswa Ilmu Keolahragaan Tahun Angkatan 2018. *Jurnal Sport Science*, 10(1), 60-66. <https://doi.org/10.17977/um057v10i1p60-66>
- Warni, H., Arifin, R., & Bastian, R. A. (2017). Pengaruh Latihan Daya Tahan (Endurance) terhadap Peningkatan VO2max Pemain Sepakbola. *Multilateral Jurnal Pendidikan Jasmani dan Olahraga*, 16(2), 121-162. <https://doi.org/10.20527/multilateral.v16i2.4248>
- Yanti, N., Gustian, U., Gani, R. A., & Setiawan, E. (2022). Analysis of The VO2max Physical Condition of Tarung Derajat Athletes Through Yoyo Test: Preparation For Pre-PON XX. *Journal Sport Area*, 7(1), 125-133. [https://doi.org/https://doi.org/10.25299/sportarea.2022.vol7\(1\).6717](https://doi.org/https://doi.org/10.25299/sportarea.2022.vol7(1).6717)