

# JSA 14

*by* Jurnal Sportarea UIR

---

**Submission date:** 30-Jul-2024 07:46PM (UTC+0700)

**Submission ID:** 2388995777

**File name:** 14\_JSA\_2024\_Agustus\_OKE\_Alifia\_Ramadhina\_Putri\_255\_263.docx (250.76K)

**Word count:** 4676

**Character count:** 26136

## Enhancement of basic tennis technical skills: Game and drill training methods of male athletes reviewed by age group

Alifia Ramadhina Putri<sup>abcde,\*</sup> , Sugiyanto<sup>abc</sup>, & Slamet Riyadi<sup>abc</sup> 

Universitas Sebelas Maret, Indonesia

Received 14 November 2023; Accepted 27 May 2024; Published 30 July 2024  
Ed 2024; 9(2): 320-328

### ABSTRACT

**Background Problems:** The lack of variety in exercises applied by coaches makes players feel bored, so they must be given training variations by looking at training methods that significantly improve basic tennis technique skills between game training methods and drills. **Research Objectives:** This study aims to determine differences in the effect of game and drill training methods on improving basic tennis technical skills based on the age groups of 10-12 years and 13-15 years. **Methods:** In this context, the method used was experimental research with a 2x2 factorial design. The sample consisted of 24 male athletes in Lampung who were separated into 4 groups. **Findings and Results:** (i) There are differences in the effect of game practice and drill methods on improving basic tennis technique skills. (ii) There is a difference in improving basic tennis technique skills between the age groups of 10-12 years and 13-15 years. (iii) There is an influence of interaction between training methods and age groups on improving basic tennis technique skills. **Conclusion:** The age group 10-12 years is more appropriate if given the game training method, and the age group 13-15 years is more appropriate if given the practice training method. The findings of this study provide an important contribution by highlighting the importance of both applied training methods for basic tennis technique. This training method is also adapted for age-based characteristics. Therefore, the recommendation to use game and drill training methods as part of tennis training can help athletes cope with intense playing conditions. Based on the analysis above, the novelty of the research developed by the researcher was two exercise methods compared, two age groups that were sampled, and research instruments using International Tennis Number (ITN) On Court Assessment. Researchers used game and drill training methods that could affect the sample after treatment. Different from previous research, the sample used was male athletes aged 10-15 years.

**Keywords:** Age groups; basic tennis technical skills; training methods



[https://doi.org/10.25299/sportarea.2024.vol9\(2\).17017](https://doi.org/10.25299/sportarea.2024.vol9(2).17017)

OPEN ACCESS



Copyright © 2024 Alifia Ramadhina Putri, Sugiyanto, Slamet Riyadi

**Corresponding Author:** Alifia Ramadhina Putri, Department of Sport Science, Faculty of Sport Science, Universitas Sebelas Maret, Surakarta, Indonesia  
Email: alifiaramadhina@student.uns.ac.id

**How to Cite:** Putri, A. R., Sugiyanto., & Riyadi, S. (2024). Enhancement of basic tennis technical skills: Game and drill training methods of male athletes reviewed by age group. *Journal Sport Area*, 9(2), 320-328. [https://doi.org/10.25299/sportarea.2024.vol9\(2\).17017](https://doi.org/10.25299/sportarea.2024.vol9(2).17017)

**Authors' Contribution:** a – Study Design; b – Data Collection; c – Statistical Analysis; d – Manuscript Preparation; e – Funds Collection

## INTRODUCTION

Tennis is a popular sport worldwide played by millions of people from all walks of life and at many different levels (Tantri et al., 2018). To be able to play tennis, both for amateurs and especially for professional players, players are required to master the techniques of hitting the ball, steps, and appropriate body movements (Rolnick & Schoenfeld, 2020). As tennis is a reactive and dynamic sport, the athlete must respond to the opponent's shot. The athlete must be able to move in all directions in an environment that causes him or her to be off-balance and out of position (Wang et al., 2022). To play well and correctly and have high achievements, especially for beginner tennis players, the basic skills of playing tennis must be mastered. The development of tennis in Indonesia itself quickly spread to other areas, one of which is Lampung.

Many people are fond of this sport, and then many championships began to be held by Pelti, one of which was the junior championship. Meanwhile, many athlete parents choose to migrate their children to other provinces to get better guidance for athlete performance as well as to gain training experience from a coach. It is the job of a coach to provide the right training methods in accordance with the needs of athletes, especially those who want to improve their basic technical skills in tennis (Anderson, 2009). Before providing training methods to athletes, the coach needs to know the extent of the skill level possessed by each athlete and see the age of the athlete. The initial results of the athlete's skills can be used by the coach to provide the right training method, so that the athlete can carry out the exercise happily and not get bored because of the same training method (Teguh et al., 2023). Based on the opinion above, it can be concluded that each basic tennis technical skill has its own function when players compete. Tennis players must master all the basic techniques of tennis well, along with components and other supporting elements, because players who master the techniques well have a high chance of achieving. By paying attention to the training methods provided and seeing the age of the athletes, in the future it will help athletes and also coaches to achieve the desired goal, namely, to get as many achievements as possible, especially in Lampung.

Previous research demonstrates the efficacy of various training models in enhancing tennis skills among young athletes. For instance, Irawan et al. (2020) found that a game-based mini-tennis training model effectively improved forehand technique skills among tennis athletes aged 6–8 years in West Sumatra. Similarly, Siahaan and Mawardinur (2022) discovered a significant improvement in forehand groundstrokes through a training programme utilising the drill-fixed target method. Furthermore, Jannah et al. (2021) showed that a game-based tennis backhand learning model was effective and efficient in enhancing backhand techniques. Leveraging age-appropriate playing methods, such as those outlined by Ngatman et al. (2023), can optimise the training process for field tennis athletes.

In basic tennis techniques, there are various training methods. In this research, the method used was the game and drill training method. The game training method is an exercise carried out in a series that resembles an actual game, which can be done with a friend or coach according to the aim of getting a score to win. Game training methods have been recommended as a pedagogy for improvement in decision-making, skill implementation, and sports coaching (Maddox et al., 2022). Therefore, this method is recommended as an alternative way of learning with games and basic techniques, and it is important to put tactics before technique (Agustiyanta et al., 2022). Thus, game practice methods require interaction and simultaneous application with awareness or knowledge of tactics and the execution of skills.

Apart from that, this research used the drill training method. The drill training method is an exercise that is carried out repeatedly in the form of movements that regulate the ready position and hitting distance according to the direction the ball is coming from (Unierzyski & Crespo, 2017). This movement is carried out in the form of stepping or running towards the ball to adjust the hitting distance by moving (Costa et al., 2022). Therefore, these exercise methods will make you feel sweaty and tired. So it must be executed consistently in a pleasant manner (Kovacs et al., 2017). The drill training method aims to help players improve, correct weaknesses, learn new skills, and understand strategic game concepts for competition (Hoskins-Burney & Carrington, 2015). Repeated practice makes the shot perfect, allows the player to determine the flow of the shot, and improves overall field movement according to the athlete's physical condition (Payne, 2017).

So, these two methods will be tested to see which method is suitable and appropriate for the age groups of 10-12 years and 13-15 years. With this, the key to a player's success is training consistently using appropriate training methods (Parpa & Michaelides, 2022). The advantages and disadvantages of these two training methods are at least a way to improve basic tennis technical skills in athletes (Nurkadri, 2019). This research aims to provide interactions between training methods and age groups to improve basic tennis technical skills and gain insight into designing effective training programmes (Tsetseli et al., 2018). By combining the interaction of training methods with age groups, especially game and drill training methods, in adapted training methods, this research seeks to optimise the performance of field tennis athletes and address new training programmes for coaches to overcome the challenges of each training process.

It is hoped that this research can help athletes overcome the problem of implementing training methods that can later combine the two training methods, namely games and drills, to improve basic tennis technical skills by taking into account the athlete's age (Unierzyski & Crespo, 2017). In this study, researchers used two training methods to obtain optimal interaction in training with age groups. Thus, it should be noted that previous research by Daulay et al. (2021) has explained that a game-based mini-tennis training model is effective in improving forehand technical skills for West Sumatran tennis athletes aged 6-8 years. Resulting in the novelty of the research presented, namely the two training methods that were compared and the two age groups used as samples, namely 10-12 years and 13-15 years. In contrast to previous research, there have been many studies with samples that used only one age category and did not compare variables. Thus, the methodology and findings of this study are poised to make a major contribution to the field, providing insight into effective interventions for competitive athletes.

**METHOD**

The current study was carried out at Clubs Tennis in Lampung and involved twenty-four junior tennis players. These players are ages 10-15 and male. They must be active in training at the club for at least one year. Before the training programme commenced, the players were provided with detailed information about the procedures for the test. The training programme is carried out for 16x meetings outside of the 1x pretest and 1x posttest. Then the exercise method is divided into 2, namely game and drill, which are represented in Tables 1 and 2.

**Table 1. Exercise Game Method Training**

| Day       | Exercise                  | Duration | Repetitions | Sets |
|-----------|---------------------------|----------|-------------|------|
| Monday    | One Up One Back           | 1 minute | 2x          | 5    |
|           | Live Ball                 | 1 minute | 2x          | 5    |
| Wednesday | Crazy-8 Groundstroke      | 1 minute | 2x          | 5    |
|           | Chip and Rip Backhand     | 1 minute | 2x          | 5    |
| Friday    | Survivor                  | 1 minute | 2x          | 5    |
|           | Shot Tolerance            | 1 minute | 2x          | 5    |
| Sunday    | Short Shot Challenge      | 1 minute | 2x          | 5    |
|           | Four Hit Serve and Volley | 1 minute | 2x          | 5    |

**Table 2. Exercise Drill Method Training**

| Day       | Exercise                 | Duration | Repetitions | Sets |
|-----------|--------------------------|----------|-------------|------|
| Monday    | Nonstop Rally            | 1 minute | 18x         | 5    |
|           | Alley Rally              | 1 minute | 18x         | 5    |
| Wednesday | Two On One Buster        | 1 minute | 9x          | 5    |
|           | Approach Shot and Volley | 1 minute | 6x          | 5    |
| Friday    | Serve                    | 1 minute | 18x         | 5    |
|           | Inside Ins               | 1 minute | 9x          | 5    |
| Sunday    | Hurricane                | 1 minute | 4x          | 5    |
|           | Fast Grass               | 1 minute | 9x          | 5    |




Figure 1. Schematic Diagram of Game and Drill Method Schedule

### Procedure of Data Collection

This research instrument uses basic tennis skills obtained through the ITN On Court Assessment (ITF, 2004). ITN stands for International Tennis Numbers. ITN is an international tennis number that represents a player's general playing level to determine a player's playing level. In this assessment players will be classified starting from ITN 1-ITN 10.3 where the ITF expects every player to have an ITN. In this assessment, players was classified starting from ITN 1-ITN 10.3, where the ITF expects every player to have an ITN. This assessment could also be used to measure serve, forehand, backhand, and volleyball abilities, as well as mobility assessments. The tests assessed are ground stroke depth (forehand backhand), groundstroke accuracy (backhand forehand), serve, and volley depth (Olcucu & Vatansever, 2015).

3

Table 3. ITN Correlation Table

|           |        |         |         |         |         |         |         |         |         |         |
|-----------|--------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| Score (F) | 57-79  | 80-108  | 109-140 | 141-171 | 172-205 | 206-230 | 231-258 | 259-303 | 304-344 | 345-430 |
| Score (M) | 75-104 | 105-139 | 140-175 | 176-209 | 210-244 | 245-268 | 269-293 | 294-337 | 338-362 | 363-430 |
| ITN       | ITN 10 | ITN 9   | ITN 8   | ITN 7   | ITN 6   | ITN 5   | ITN 4   | ITN 3   | ITN 2   | ITN 1   |

(Olcucu & Vatansever, 2015)

### Data Analysis

Research data analysis techniques used SPSS 26 software. To find out the results of this research hypothesis, it was carried out in the initial stage, namely using a normality test and a homogeneity test with a sig. value > 0.05, and in the final stage, answering the hypothesis using a two-way ANOVA test with a significance < 0.05.

## RESULTS AND DISCUSSION

### Result

In this study, there were two independent variables and one dependent variable. The independent variables consisted of manipulative variables or treatment variables, namely the training method (A). This variable consisted of two, namely the game training method (A1) and the drill training method (A2). The attributive variable studied was (B). The age group consisted of two groups, namely 10-12 years (B1) and

13-15 years (B2). The dependent variable was the basic technical skills of tennis (Y). The data presented included a description of the data, a requirements analysis test, and hypothesis testing.

**Table 4. Data Results of Descriptive Analysis**

| Treatment                        | Age Group     | Statistics | Results Test Beginning | Results Test End | Enhancement |
|----------------------------------|---------------|------------|------------------------|------------------|-------------|
| Training Method<br><i>Games</i>  | 10 – 12 years | $\Sigma X$ | 733                    | 1162             | 429         |
|                                  |               | $\bar{x}$  | 122.2                  | 193.7            | 71.5        |
|                                  |               | SD         | 7.8                    | 7.1              | 2.4         |
|                                  | 13 – 15 years | $\Sigma X$ | 1168                   | 1548             | 380         |
|                                  |               | $\bar{x}$  | 194.7                  | 258              | 63.3        |
|                                  |               | SD         | 10.3                   | 6.8              | 4.6         |
| Method Exercise<br><i>Drills</i> | 10 – 12 years | $\Sigma X$ | 726                    | 993              | 267         |
|                                  |               | $\bar{x}$  | 121                    | 165.5            | 44.5        |
|                                  |               | SD         | 10.5                   | 6.6              | 4.2         |
|                                  | 13 – 15 years | $\Sigma X$ | 1137                   | 1412             | 275         |
|                                  |               | $\bar{x}$  | 189.5                  | 235.3            | 45.8        |
|                                  |               | SD         | 10.8                   | 8.4              | 2.9         |

Information:

$\Sigma X$  : Total value

$\bar{x}$  : Average Value

SD : Standard Deviation

The basic tennis technique assessment table. The following is the presentation of the prerequisite test in Table 5.

**Table 5. Normality Test Results**

| Group Treatment | N | M    | SD  | L count | L table 5% | Conclusion          |
|-----------------|---|------|-----|---------|------------|---------------------|
| A1B1            | 6 | 71.5 | 2.4 | 0.24    | 0.319      | Distributing Normal |
| A1B2            | 6 | 63.3 | 4.6 | 0.27    | 0.319      | Distributing Normal |
| A2B1            | 6 | 44.5 | 4.2 | 0.22    | 0.319      | Distributing Normal |
| A2B2            | 6 | 45.8 | 2.9 | 0.18    | 0.319      | Distributing Normal |

Table 5 above shows the results of the first prerequisite test, namely normality. According to the table, the value of Lcount in all data for each treatment group is < L-table (0.319), indicating that the data is normally distributed (L-count = 0.248 for A1B1, L-count = 0.27 for A1B2, L-count = 0.22 for A2B1, L-count = 0.18 for A2B2). Table 6 presents the results of the homogeneity test in relation to the normality test results.

**Table 6. Homogeneity Test Results**

| F    | df1 | df2 | Sig. |
|------|-----|-----|------|
| .679 | 3   | 20  | .575 |

9

Based on the output above, it is known that the value of Sig. Levene's Test for Equality of Variances is 0.575. Because Fcount is 0.679 and the probability value of Sig. 0.575 is greater than 0.05, it can be concluded that all variables have the same or homogeneous variance.

**Table 7. Result of ANOVA Hypothesis Test of Basic Tennis Technique Skills**

| Source          | Df | F       | Sig. |
|-----------------|----|---------|------|
| Corrected Model | 3  | 78.65   | .000 |
| Intercepts      | 1  | 5650.77 | .000 |
| Method          | 1  | 220.70  | .000 |
| Group           | 1  | 5.20    | .034 |
| Method*Group    | 1  | 10.05   | .005 |

The following explanation is based on the results of the analysis of variance of the two paths in the table above, which show that the game practice method and drill practice have different influences on improving basic tennis technical skills ( $F\text{-count} = 220.70 > F\text{-table for degrees of freedom 1 and 20 and value 4.35}$ ) or  $F\text{-count} > F\text{-table}$ , with a value smaller than 0.000 level = 0.05 ( $0.000 = 0.05$ ), then based on the F test ( $H_0$ ), it can be concluded that there is a different influence between game practice methods and exercises to improve basic tennis technical skills. Meanwhile, the next result is that there is a difference between the age groups 10-12 years and 13-15 years in improving basic tennis technical skills ( $F\text{-count} = 5.20 > F\text{-table for degrees of freedom 1 and 20 obtained a value of 4.35}$ ) or if there is a difference but the level is less than 0.05 ( $0.034 < 0.05$ ), so based on the F Test then ( $H_0$ ) is rejected and it can be concluded that there is a difference in skills between the age groups 10-12 years and 13-15 years towards increasing basic technical skills in tennis. Other variables show that there is an interaction effect between training method and age group on improving basic tennis technical skills ( $F\text{-count} = 10.059 > F\text{-table for degrees of freedom 1 and 20 and a value of 4.35}$ ) or  $F\text{-count} > F\text{-table}$ , with a level of 0.011 or more smaller than = 0.05 ( $0.005 < \alpha = 0.05$ ), so that based on the F test, ( $H_0$ ) is rejected and it can be concluded that there is an interaction effect between training methods and age groups on improving basic technical skills in tennis.

Practicing basic tennis technical skills using game practice methods can raise enthusiasm for practice. This is because this game training is an exercise that presents material according to the needs of each athlete and is certainly packaged with an interesting and fun programme (Harvey et al., 2015). With the game training method, athletes are indirectly aware of the weaknesses they have so that each athlete can train according to their respective weaknesses but can still train simultaneously, where technique is a means for carrying out tactics (Ruciack, 2020). Not only that, the training atmosphere that will be created after applying the game training method will be more enjoyable and will make athletes feel less bored because the score obtained can also be applied when practicing, making athletes more serious and sincere when doing training.

Tennis is often described as a game with a constant state of emergency because with each shot hit by an opponent, the ball can have a different speed and different types and degrees of spin placed in different parts of the court (Xiao et al., 2022). The habit of players not hitting with one style or in the same place makes them accustomed to receiving the ball from opponents. This is one of the advantages if coaches apply game-training methods.

The initial strategy principles should be the basis of an athlete's game, and over time, the athlete can feel and even see the abilities they have. This training method looks fun and easy to do, but it still requires continuous practice so that an athlete's tennis skills continue to improve (Irawadi & Yusuf, 2021). Thus, the aim of the game training method is to improve technical skills as well as overall game performance by combining tactical awareness and technical execution (Widiyanto et al., 2024). This is in line with research by Kolman et al. (2021), which shows that game training methods can improve basic technical tennis skills in athletes, but the results of this research are only for professional athletes, not amateurs. So, the application of game training methods at primary and middle class levels makes children think about organising and carrying out small game situations so that the faster children can organise themselves, the better the impact will be, especially during learning (Hegen et al., 2016).

The results of this research show that the interaction of game and drill training methods can be applied to both age groups (Gallwey, 2024). After being given treatment, it turned out that these two age groups made greater improvements with the game training method. Both training methods are equally good for athletes, but they can be adjusted to the athlete's age. The 10- to 12-year-old age group is included in late childhood, where at this age individuals express more and play, so the game training method is good to give to the 10- to 12-year age group. At this age, endurance also needs to be developed further when playing and rallying (Tsetseli et al., 2018). The main characteristic of this age group is that children will focus on improving control, combination, and analysis skills, as well as reaction speed and rhythm. Therefore, training will focus on its development (Filipic et al., 2021). While ages 13-15 are included in the early adolescence phase, which at this age is one level higher than the previous phase, Therefore, there is an opportunity for further

research to uncover current limitations so that more comprehensive results can be obtained to increase knowledge about tennis training methods.

## CONCLUSION

The results of the research show that (1) there are game and drill training methods for improving basic tennis technical skills. The game training method provides a greater improvement effect when compared to the drill training method. (2) There are differences in the improvement of basic tennis technique skills between the age groups of 10-12 years and 13-15 years. The 10-12-year-old group has a greater increasing effect when compared to the 13-15-year-old group. (3) There exists an effect of interaction between training methods and age groups on basic tennis technique skills. The logical consequence of this study is that there are differences in the effect of game and drill training methods, as well as the age groups of 10-12 years and 13-15 years, on the improvement of basic tennis technical skills, which can be significantly influenced. Thus, the age group of 10-12 years is more appropriate if given the game practice method, and the age group of 13-15 years is more appropriate if given the drill practice method.

The limitations of this research are that the results cannot present the basic technical skills of tennis in a sample of women and the use of a relatively small sample. So, further research needs to be done with a larger sample size, even though it has been supported statistically. Further research also needs to explore longer game and drill training methods in different age groups to gain a more comprehensive understanding. In addition, it is recommended to investigate the effects of game and drill training methods on pre-match, match, and post-match to determine the optimal time to apply these training methods.

The findings of this study provide an important contribution by highlighting the importance of both applied training methods for basic tennis technique. This training method is also adapted for age-based characteristics. Therefore, the recommendation to use game and drill training methods as part of tennis training can help athletes cope with intense playing conditions. In addition, the application of optimal training methods and training programmes can be the subject of future research to find out whether there are significant differences between the two training methods. Thus, this research provides a basis for coaches to consider using game and drill training methods as part of routine training to improve basic tennis techniques in athletes.

## ACKNOWLEDGEMENTS

The author would like to thank the reviewers. The assessment carried out by reviewers has helped this work achieve the required academic standards. Lampung tennis athletes who were the samples for this research and the management of PELTI Lampung Province.

## CONFLICT OF INTEREST

The authors have no conflict of interest to declare.

## REFERENCES

- Agustiyanta, Hidayatullah, M. F., Doewes, M., Purnama, S. K., Riyadi, S., & Syaifullah, R. (2022). BOTELI and Interval Training to Improve Tennis Groundstroke Forehand's Rally Skills. *International Journal of Human Movement and Sports Sciences*, 10(6), 1311–1317. <https://doi.org/10.13189/SAJ.2022.100622>
- Anderson, K. (2009). *Coaching Tennis Technical and Tactical Skills*. Human Kinetics.
- Costa, T. F. O., Sampaio, F. M. C., Sequeira, C. A. D. C., Lluch Canut, M. T., & Moreno Poyato, A. R. (2022). A Qualitative Study Exploring Adolescents' Perspective about Mental Health First Aid Training Programmes Promoted by Nurses in Upper Secondary Schools. *International Journal of Mental Health Nursing*, 31(2), 326–338. <https://doi.org/10.1111/inm.12959>

- Daulay, D. A. A., Sulaiman, I., & Nurdin, F. (2021). Game-Based Backhand Tennis Technique Learning Model to Improve Learning Outcomes. *Gladi: Jurnal Ilmu Keolahragaan*, 12(04), 269-280. <https://doi.org/10.21009/gjik.124.06>
- Federation, I. T. (2015). The Modern Approach to Mini-Tennis. *ITF Coaching & Sport Science Review*, 23(66), 512-520. <https://doi.org/10.52383/itfcoaching.v23i66.134>
- Filipic, A., Leskosek, B., Crespo, M., & Filipic, T. (2021). Matchplay Characteristics and Performance Indicators of Male Junior and Entry Professional Tennis Players. *International Journal of Sports Science and Coaching*, 16(3), 321-328. <https://doi.org/10.1177/1747954120988002>
- Gallwey, W. T. (2024). *The Inner Game of Tennis (50th Anniversary Edition)*. Random House. <https://www.penguinrandomhouse.com/books/57757/the-inner-game-of-tennis-50th-anniversary-edition-by-w-timothy-gallwey/>
- Harvey, S., Cushion, C. J., Wegis, H. M., & Massa-Gonzalez, A. N. (2015). Teaching Games for Understanding in American High-School Soccer: A Quantitative Data Analysis using the Game Performance Assessment Instrument. *Physical Education and Sport Pedagogy*, 15(1), 29–54. <https://doi.org/10.1080/17408980902729354>
- Hegen, P., Rizzi, N., & Schöllhorn, W. I. (2016). Comparison Of The Differential Learning Approach In The Form Of Games and Traditional Tennis Training. *Conference: 21st Annual Congress of the European College of Sport ScienceAt: Vienna (Austria)*. [https://www.researchgate.net/publication/305390867\\_Comparison\\_of\\_the\\_differential\\_learning\\_approach\\_in\\_the\\_form\\_of\\_games\\_and\\_traditional\\_tennis\\_training](https://www.researchgate.net/publication/305390867_Comparison_of_the_differential_learning_approach_in_the_form_of_games_and_traditional_tennis_training)
- Hoskins-Burney, T., & Carrington, L. (2015). *The Tennis Drill Book* (2nd ed.). Human Kinetics.
- ITF. (2004). *International Tennis Number-Testing Procedure*. International Tennis Federation. <https://sonc.net/wp-content/uploads/2018/08/ITN-Assesment-Guide-levels-4-and-5.pdf>
- Irawan, R., Raharjo, A., & Farida, L. (2020). Developing Assessment Model of a Tennis Forehand Stroke as Biomechanics Movement Perspective. *Journal Coaching Education Sports*, 3(2), 18-26. <https://doi.org/10.4108/eai.22-7-2020.2300305>
- Jannah, M., Hidayatullah, M. F., & Syaifullah, R. (2021). Anthropometric and Biomotor Factors that Determine the Ability of Field Tennis Service. *Journal of Education, Health and Sport*, 11(7), 167–174. <https://doi.org/10.12775/jehs.2021.11.07.015>
- Kolman, N. S., Huijgen, B. C. H., Visscher, C., & Elferink-Gemser, M. T. (2021). The Value of Technical Characteristics for Future Performance in Youth Tennis Players: A Prospective Study. *PLoS ONE*, 16(1), 17-25. <https://doi.org/10.1371/journal.pone.0245435>
- Kovacs, Mark., Chandler, W. Britt., & Chandler, T. Jeff. (2017). *Tennis Training: Enhancing On-Court Performance*. Racquet Tech Publishing.
- Maddox, S., Powell, N. N., Booth, A., Handley, T., Dalton, H., & Perkins, D. (2022). Effects of Mental Health Training on Capacity, Willingness and Engagement in Peer-To-Peer Support in Rural New South Wales. *Health Promotion Journal of Australia*, 33(2), 451–459. <https://doi.org/10.1002/hpja.515>
- Ngatman, Guntur, Gani, I., & Broto, D. P. (2023). Tennis Training Model to Improve Groundstroke Skills in Children. *Cakrawala Pendidikan*, 42(1), 149–163. <https://doi.org/10.21831/cp.v42i1.47414>
- Nurkadri, M. (2019). Goenrich Basic Technique Model with Playing Approach for a Beginner Tennis Player. *Atlantis Press*, 27(3), 224-233. <https://doi.org/10.2991/yishpess-cois-18.2018.24>
- Olcucu, B., & Vatansever, S. (2015). Correlation Between Physical Fitness and International Tennis Number (Itn) Levels among Children Tennis Players. *Anthropologist*, 21(1–2), 137–142. <https://doi.org/10.1080/09720073.2015.11891803>

- Parpa, K., & Michaelides, M. (2022). Age-Related Differences in the Anthropometric and Physical Fitness Characteristics of Young Soccer Players: A Cross-Sectional Study. *Children*, 9(5), 42-55. <https://doi.org/10.3390/children9050650>
- Payne, V. G. (2017). *Human Motor Development (9th Edition)*. Routledge. New York. <https://doi.org/10.4324/9781315213040>
- Rolnick, N., & Schoenfeld, B. J. (2020). Blood Flow Restriction Training and the Physique Athlete: A Practical Research-Based Guide to Maximizing Muscle Size. *Strength & Conditioning Journal*, 42(5), 22-36. <http://doi.org/10.1519/SSC.0000000000000553>
- Ruciack, J. (2020, November 9). 2020 *Elderton Tennis Classic Wrap-up*. The Elderton Wines Blog. <https://eldertonwines.com.au/blog/2020-elderton-tennis-classic-wrap-up/>
- Siahaan, D., & Mawardinur. (2022). The Influence of Case Based Learning Methods Towards Learning Outcomes on Technical and Tactical Tennis Training Method Subject. *Proceedings of the 4th International Conference on Innovation in Education, Science and Culture, ICIESC*, 1-9. <https://doi.org/10.4108/eai.11-10-2022.2325413>
- Tantri, A., M, Aprilia, B., & Mashud, M. (2018). The Effect of Teaching Style and Eye-Hand Coordination on Learning Outcomes in Tennis Field Groundstrokes. *Budapest International Research and Critics Institute-Journal (BIRCI-Journal)*, 5(2), 13734–13744. <https://doi.org/10.33258/birci.v5i2.5235>
- Teguh, L., Wiguno, H., Wibowo, A., Wahyudi, H., & Hanif, A. (2023). Development of Interactive Multimedia-Based Physical Fitness Learning Media in Junior High School. *JOSSAE (Journal of Sport Science and Education)*, 8(1), 54–68. <https://doi.org/10.26740/jossae.v8n1.p54-68>
- Tsetseli, M., Zetou, E., Vernadakis, N., & Mountaki, F. (2018). The Attentional Focus Impact on Tennis Skills' Technique in 10 and Under Years Old Players: Implications for Real Game Situations. *Journal of Human Sport and Exercise*, 13(2), 14-23. <https://doi.org/10.14198/jhse.2018.132.15>
- Unierzyski, P., & Crespo, M. (2017). Review of Modern Teaching Methods for Tennis. *RICYDE. Revista Internacional de Ciencias Del Deporte*, 3(7), 1–10. <https://doi.org/10.5232/ricyde2007.00701>
- Wang, D., Ji, Q., & Li, D. (2022). Cloud Computing-Driven Resource Allocation Method for Global Tennis Training: A Performance Optimization with Game Theory Consideration. *Wireless Networks*. <https://doi.org/10.1007/s11276-022-03106-6>
- Widiyanto, W., Setyawan, H., Suharjana, S., Purwanto, S., Indra, E. N., Prayudho, S., García-Jiménez, J. V., Pavlovic, R., Nowak, A. M., Susanto, N., Darmawan, A., Purnomo Shidiq, A. A., & Andriansyah, A. (2024). The Differences Result in Serve Skill of Junior Tennis Players Assessed Based on Gender and Age. *Retos*, 54, 272–278. <https://doi.org/10.47197/retos.v54.102757>
- Xiao, W., Geok, S. K., Bai, X., Bu, T., Norjali Wazir, M. R., Talib, O., Liu, W., & Zhan, C. (2022). Effect of Exercise Training on Physical Fitness among Young Tennis Players: A Systematic Review. *Frontiers in Public Health*, 10(March), 1–10. <https://doi.org/10.3389/fpubh.2022.843021>

ORIGINALITY REPORT

12%

SIMILARITY INDEX

9%

INTERNET SOURCES

5%

PUBLICATIONS

1%

STUDENT PAPERS

PRIMARY SOURCES

1

doaj.org

Internet Source

3%

2

Novan Arum Nugroho, Sapta Kunta Purnama, Slamet Riyadi, Rony Syaifullah. "Interaction between service exercise and gender on field tennis service skills", Health Technologies, 2023

Publication

2%

3

mafiadoc.com

Internet Source

1%

4

Bhagyalakshmi Avinash, Basapura M Shivalinga, Somanthan Balasubramanian, Suma Shekar et al. "Orthodontic Treatment Needs of 12-year-old Schoolgoing Children of Mysuru District, Karnataka, India: A Cross-sectional Study", International Journal of Clinical Pediatric Dentistry, 2018

Publication

1%

5

Muhammad Perdana Azhar, Agus Kristiyanto, Slamet Riyadi. "Differences in the interaction effect between telerehabilitation self-

1%

# stretching and telerehabilitation self-massage on DOMS", Health Technologies, 2024

Publication

---

|   |   |     |
|---|---|-----|
| 6 | <a href="http://www.hrpub.org">www.hrpub.org</a><br>Internet Source                       | 1 % |
| 7 | <a href="http://tmfv.com.ua">tmfv.com.ua</a><br>Internet Source                           | 1 % |
| 8 | Submitted to Universitas Negeri Jakarta<br>Student Paper                                  | 1 % |
| 9 | <a href="http://etheses.uin-malang.ac.id">etheses.uin-malang.ac.id</a><br>Internet Source | 1 % |

---

Exclude quotes  Off

Exclude matches  < 1%

Exclude bibliography  On